

April 30, 2007

PORTLAND DEVELOPMENT COMMISSION

**ADDENDUM NO. 2
DAWSON PARK GAZEBO IMPROVEMENTS
PORTLAND, OREGON**

**Bid Proposals Due: May 3, 2007
By: 2:00 p.m.**

This addendum provides changes to the specifications for the above-entitled project to be considered by each bidder. This addendum shall be included in the proposal and, when executing the contract, will be a part thereof. Any changes made by this addendum to said plans (drawings) and specifications offset only the portion of the plans (drawings), words or paragraphs specifically mentioned herein, and the balance of the plans (drawings) and/or specifications remain in full force. It is the responsibility of all bidders to acknowledge receipt of this addendum in the bid proposal and to conform to this addendum.

TECHNICAL SPECIFICATIONS

**1. Section 05500 Metal Fabrication and Structural Steel
Article 2.01, Paragraph D.**

Add the following to Paragraph D:

“Thicker steel tube wall up to 0.5 inch is acceptable.”

**2. Section 05500 Metal Fabrication and Structural Steel
Article 2.02, Paragraph D., Item 2.**

Add the following to Item 2:

“Avoid significant wrinkles/puckers in all architecturally exposed fabricated members.”

Please direct all questions and concerns to Linda Naumcheff (Portland Development Commission) at 503-823-3322.

End of Addendum

Linda L. Naumcheff
Construction Services Coordinator